

Telephone: Royal 7601

NUCLEAR PHYSICS RESEARCH LABORATORY UNIVERSITY OF LIVERPOOL MOUNT PLEASANT LIVERPOOL 3

20th December, 1957

Dear Snowden

I enclose a report on "Proposal for Northern Site for National Institute for Nuclear Physics" as amended at our meeting on Tuesday. If you have any comments, these should be sent to me by January 4th.

Yours sincerely

H.W. B. Skinner

M.Snowden, Esq., A.E.R.E., Harwell, Didcot, Berks.

Proposal for Northern Site for National Institute for Nuclear Physics.

The National Institute is providing a high energy accelerator at the Harwell site. It is understood that the paper on which the Government based its decision to proceed with the Institute contained the suggestion that a second accelerator might be built within about a 10 year period. Assuming that only about 50 scientists from the Universities can use the Harwell machine at the same time, there seems definitely to be a case for such a second machine if one takes into account all those Departments of Physics which are likely to be interested in high energy work.

If this were to be agreed, the question of siting would become important. (a) It is probably undesirable from a physical point of view to expand the Harwell Branch of the Institute further, because of the saturation of the area by Atomic Energy projects. (b) It would be a great advantage to the Universities if the work could be carried out within daily commuting distance (say 40-50 miles). Harwell only satisfies this condition for the Universities of Oxford and Reading, but commuting from London would probably be possible, and Cambridge, Bristol and Birmingham are perhaps not too badly placed. (c) If this view is accepted, a very good place for the second site would be in the triangle Birmingham-Liverpool-Manchester. All of these three Universities have major interests in Nuclear Physics, and a site near Crewe would be excellent from the point of view of rail travel. The three departments consider that, in 5 years time, they will require additional high energy facilities for at least 50 of their research students. The use of the site would, of course, not be restricted to the three Universities, and it is thought that the neighbourhood of Crewe, with its excellent rail service, might be much more convenient than Harwell to a number of other Northern and Scottish Universities. Also, in due course, it would be possible to put other equipment, for example a research nuclear reactor, on the site. it must be emphasised that Crewe is only a suggestion and that we have no particular site in mind.

Repetition

I.

II. During the past 18 months, an informal group has held 4 meetings to consider the possibility of a second accelerator in a Northern area.

The group consists of :--

Liverpool. Chairman Professor H.W.B.Skinner Professor J.M. Cassels Mr.M.J.Moore Birmingham Professor P.B. Moon 11 Dr. L. Riddiford Manchester Professor S. Devons Dr . B . Hyams Harwell Mr.D.W.Fry Dr.T.G.Pickavance 22 Mr. L. B. Mullett Mr.M.Snowden Mr.W.Walkinshaw Mr.J.D. Lawson Birmingham Professor R.E.Peierls Manchester Professor J. Diamond also attended some of the

The group has considered the following types of accelerator. If required reports could be supplied, but the rough conclusions are indicated below:-

*		to the second second
(1)	Electron linear accelerator, say 10 Gev	Very expensive
	Electron synchrotron, 6-8 Gev.	Possible
(3)	Very high energy accelerator, say more than 50 Gev.	Very expensive
(4)	and the second second	Not sufficiently attractive for its expense.
(5)	Gas discharge accelerators	No practical scheme so far found.
(6)	Colliding beam accelerator#	Very expensive and requires much more developments

In comparing (1) and (2) it was considered that though the linear accelerator would be excellent for electron diffraction experiments, its short pulse (1-2/3) and small duty cycle (1 in 3000), which cannot be increased without great expense, would be a considerable disadvantage for many counter experiments. The price of the machine alone would be at least 26m, and the running expenses, on account of the need for replacement of the high powered klystrons, would be much in excess of those for a proton or electron synchrotron.

The group therefore came to the conclusion that the only machine which could be recommended at present would be the electron synchrotron, which has a duty cycle of a few percent.

A very suitable design for an electron synchrotron has, during the past few years, been evolved at the M.I.T. by Professor Livingston and his team. It is intended to erect this at Cambridge, Mass. for the use of Harvard University and the M.I.T. It is not known whether the American A.E.C. has actually provided the money but it is expected that it will.

Another machine, along similar lines, is being planned by Professor Jentschke at Hamburg, and it is believed that he has got a promise of the money to go ahead. Sir John Cockcroft saw Professor Livingston in October 1957 and obtained the latest estimate of 56m for the machine plus \$2m for the building. The latter figure is certainly low for a complete job since Professor Livingston is able to make use of some existing buildings at Harvard. Professor Jentschke issued a report in mid-1956 from which we can deduce figures of \$5.3m for the machine and \$2.8m for the buildings. The cost of the machine is therefore less than halfthat of 6he Harwell proton synchrotron.

If it were decided to proceed with such a machine, it can be assumed that Professor Livingston would give us access to all details of his machine, as he has done to Professor Jentschke. We should therefore not have to do any basic design work. This woull very much ease the starting-up of the

III.

project. Assuming that we were not delayed by problems of site acquisition and development, we estimate that we could complete the work within about 4 years of the authority to go ahead. If the authority came within 1 year, we should not be much behind the American machine, and perhaps not behind the German one at all. But it must be emphasised that if there is substantial delay in getting the authorisation, the project would become much less attractive.

We can roughly estimate the cost as follows :-

Site acquisition. buildings.	development and anxillia	ry £1.5m
Building for elec	etron synchrotron	£1.0m
Electron synchrot	ron	£2.1m
		£4.6m

On the time scale proposed, a new team would have to be formed to build the machine, but it would be smaller than that required for the # Gev Harwell project. There are suitable people in the three Universities who could form the nucleus of such a team, which could be expanded. In addition it is hoped that the A.E.A. would be able to assist substantially, particularly in engineering.

The following are types of work which might be done with the 6-8 Gev electron synchrotron.

IV.

The main purpose of building a 6-8 Gev electron synchrotron would be to investigate strange particles and antibaryons. It is well known that strong beams of these particles are better produced by proton accelerators such as the machine already being built at Harwell. However an electron machine would make it possible to study the photoproduction of the particles by such processes as:-

Reaction

	SECTION OF STATE OF S	deline	THE GOLD AND COOLS
8 +	N→N + K		0.91
8 +	N→ £ + K		1.05
8+	$N \rightarrow N + K + K$		1.50
-	N→ = + 2K		2.3/
	N -> 2N + N		3.74
8+	$N \rightarrow N + \Lambda + \overline{\Lambda}$		4.6
	N + 2N + K + K		5.95
	N → 2∧ + =		6.25
8+	N→N +Ξ+Ξ		6.3

Because of the energy limitations on existing electron accelerators, only the first reaction has been observed so far. The remaining reactions offer a rich and attractive field of study, which cannot be attacked until the electron synchrotrons planned in the U.S.A. and Germany come into operation in about 4 years time.

Threshold (Gev)

A study of these reactions, particularly near threshold, should offer results which are particularly easy to discuss from a theoretical point of view. A machine with maximum energy 6-8 Gev can be used to produce &-rays at any energy up to this maximum, and so would be very suitable for all the above reactions. A particle process involving 'strong' reactions involves at least two 'vertices', where a particle is absorbed or created. In the simpler photo-production, one of the 'vertices' involves a radiation process, which is thought to be well understood and easily handled by present-day field theoretical methods. This means that theoretical attention can be concentrated on the other vertex involving the strange particles or anti-baryons. It is expected that specially clear evidence on the parities of the particles and on the couplings between them will result. It will also be of great interest to check that other photo-production reactions, for bidden by strangeness selection rules, do not in fact occur.

A second class of experiments would aim at extending present-day studies of the acattering of electrons by nuclei and the investigation of the structure of the nucleon down to very small radii. This sort of experiment requires

a very 'clean' electron beam, and the problem of extracting such an electron beam from the synchrotron would require careful study.

v. The group thinks that, at the present stage, it ought to put up to the National Institute the results of its work. The conclusion to which it has come is that, while it would of course be possible to wait till some new type of machine may become an attractive proposition, our review does not give any ground for optimism that this will happen in a reasonable time. It feels therefore that the right course is to proceed quickly with the 6-8 Gev electron synchrotron on a new site.

